

P6.67mm

Magnesium Alloy Standard Size 960×960mm Indoor LED Display



Developed by UNIT LED, P6.67mm Magnesium Alloy Standard Size 960×960mm LED display is UNIT latest LED display for outdoor fixed installation, it can be used for rental event too.

UNIT

SHENZHEN UNIT LED CO., LTD.

www.unit-led.com

- Standard screw holes for all standard size 320×160 LED display panel.
- 960mm cabinet size, very suitable for indoor fixed LED display and outdoor fixed LED display.
- High hardness Die Casting Magnesium Alloy made, ultra light and thin, easy installation and transport, convenient for assembly and disassembly.
- Delicate structure, seamless and no gaps. High protection level, dustproof, damp-proof and water proof.
- Adapts stable Nation star LED and Best Driving IC such as MBI5124.
- Change LED display module pixel without to change the LED display cabinet structure.
- Fast lock design, seamless cabinet connection. The led display without have any gaps.
- Wide viewing in 160° vertical and 160° horizontal, offering a ultra wide visual to viewers.
- Super thin cabinet with only thickness 87mm design, reduce cabinet weight and save space.
- 3 year Warranty and professional tech support with good after-sale service.

Appearance

Front Panel



Rear Panel



Inner Structure



Specifications

| | |
|-----------------------|-----------------------------|
| Pixel | 6.67mm |
| LED | SMD 3in1 |
| Module size | 320*160mm |
| Module Resolution | 48*24 dots |
| Density | 22478 pixels/sqm |
| Cabinet Size | 960*960*87mm |
| Cabinet weight | 24 kg |
| Material | Die Casting Magnesium Alloy |
| Brightness | 800-1000 cd/m2 (Nits) |
| Avg Power Consumption | 350w |
| Max Power Consumption | 880w |
| Best Viewing Distance | 6m to 60m |
| Grey Level | 14bits |
| Fresh Frequency | ≥60HZ |
| Life Span | ≥100000 hours |
| Control Mode | Synchronous or Asynchronous |
| Certificates | CE,RoHs,FCC,UL |
| Protection Level | IP65 Dustproof |



SHENZHEN UNIT LED CO., LTD

Building 11, SanLian Industry Park, SongBai Road, Baoan
District, Shenzhen, China

Phone: +86-137-8705-0055 Fax: +86-755-3292-5789

Email: manager@unit-led.com

<http://www.unit-led.com/>